

San Jose Animal Hospital

940 Berryessa Road
San Jose, CA 95133
408-453-2524

FOR: St.Francis(Caron) Animal Protection
698 East Scorpio Place
Chandler, AZ 85249

Printed: 04-05-17 at 5:24p
Date: 04-05-17
Account: 28233
Invoice: 219794

Date	For	Qty	Description	Net Price
Services by Cynthia Tao				
04-05-17	Shelby	1	Rescue New Pet Exam	0.00
04-05-17		1	Rabies 3yr	25.20 **
04-05-17		1	BORDETELLA ORAL	25.20 **
04-05-17		1	Vaccine	0.00
04-05-17		1	Heartworm Test	36.00 **
04-05-17		1	Radiographs - 2 Views	175.50 **
04-05-17		1	I.D.CHIP	40.50 **
04-05-17		1	Implanted I.D. Chip #991001000494878	0.00
04-05-17	#008		Visa payment-9152	-342.00
Services by Jorge Jaime Flores Gutierrez				
04-02-17	Professor Puddi	2	Cerenia 16 mg tabs (4 tablet box)	39.60 **
<hr/>				
Old balance	Charges	Payments	Discount	New balance
0.00	342.00	342.00	38.00 **	0.00

Your invoice total reflects our **13th St Cat Rescue** discount.

Patient	Total charges
Shelby	302.40
Professor Pudding (Deb)	39.60

Reminders for: Shelby (Weight: 58.0 lbs - 23m)		Last done
04-04-20	Rabies 3yr	04-05-17
04-05-18	Bordetella Annual Booster	04-05-17
04-05-18	Annual Physical Check Up	04-05-17
04-05-18	Heartworm Test	04-05-17

Reminders for: Professor Pudding (Deb) (Weight: 6.9 lb)		Last done
05-27-17	Rabies 3yr	

Doctor's Instructions

Vaccine

Instructions:

PLEASE READ REGARDING VACCINE REACTIONS:

YOUR PET MAY EXPERIENCE LETHARGY AND SORENESS FROM THE VACCINATIONS. THIS IS NORMAL WITH VERY YOUNG ANIMALS. IF THIS PERSISTS LONGER THAN 24 HOURS, PLEASE BRING YOUR PET INTO THE HOSPITAL OR IF AFTER HOURS, TO THE EMERGENCY CLINIC.

IF YOUR PET HAS ANY OF THE FOLLOWING SIGNS BRING TO THE HOSPITAL IMMEDIATELY OR IF AFTER HOURS, TO THE EMERGENCY CLINIC:

1. REPEATED EPISODES OF VOMITING AND/OR DIARRHEA
2. LETHARGIC OR RESTLESS BEHAVIOR LASTING MORE THAN 48 HOURS
3. SWOLLEN FACE OR HIVES (BUMPS) ON THE BODY
4. DIFFICULTY BREATHING

SINCE IT IS HARD TO PREDICT WHICH ANIMALS WILL HAVE AN ALLERGIC REACTION & ONLY A SMALL PERCENTAGE OF PETS WILL HAVE ANY REACTION, WE ARE NOT RESPONSIBLE FOR ANY FEES INCURRED BECAUSE OF TREATING ANY VACCINE REACTIONS. HOWEVER, WE WILL ASSIST YOU AS BEST WE CAN.

*Your pet may experience soreness from the vaccination. If soreness continues longer than 24 hours then please call us. Please mail any rabies certificate for your cat or dog to the city. They will assess a penalty for delinquencies, so try to mail them as soon as possible.

If you have any concerns and we are closed, please call Silicon Valley Veterinary Specialists at: 408.649.7070

Cerenia 16 mg tabs (4 tablet box)

What is Cerenia:

Cerenia is an antiemetic for use in the prevention of acute vomiting and vomiting due to motion sickness.

What is the most important information I should know about Cerenia:

Dogs should not be fed for at least 1 hour prior to giving Cerenia. For prevention of vomiting due to motion sickness Cerenia can be given once a day, 2 hours before traveling, for up to 2 days in a row. Do not embed Cerenia in hot dogs, sausage, hard cheese or pill pockets to give the tablet as this may decrease efficacy by delaying absorption. If necessary, loosely wrap the tablet in a small amount of food such as deli meat. Store Cerenia at controlled room temperature (68°-77° F). Keep this medication out of the reach of children and other pets.

What should I discuss with my veterinarian before giving Cerenia:

Do not use this medication in animals allergic to it. Tell your veterinarian if your pet has liver disease, gastrointestinal obstruction, or if your pet is pregnant or nursing.

What happens if I miss giving a dose:

Give the missed dose as soon as you remember. However, if it is almost time for the next regularly scheduled dose, skip the missed dose and give the next one as directed. Do not give a double dose of the medication unless directed to by your veterinarian.

What happens if I overdose the pet:

Contact your veterinarian or veterinary emergency room. Symptoms of Cerenia overdose may include diarrhea, bloody stool, loss of appetite, lethargy.

What should I avoid while giving Cerenia to my pet:

Topical exposure to Cerenia may cause localized allergic skin reactions in some individuals. Repeated or prolonged exposure may lead to skin sensitization. Wash hands with soap and water after giving the medication. In case of accidental eye exposure, flush the eye with water for 15 minutes and seek medical attention.

What are the possible side effects of Cerenia:

If any of the following serious side effects occur, stop giving Cerenia and seek emergency veterinary medical attention: an allergic reaction (difficulty breathing, swelling of the lips, tongue, or face; hives); sudden onset of diarrhea; vomiting; shock; seizures; coma. Other less serious side effects may occur. If any of the following side effects occur, continue to give Cerenia and talk to your veterinarian: drooling, lethargy, drowsiness. Side effects other than those listed in this guide may occur. Talk to your veterinarian about any side effect that seems unusual or that is especially bothersome to your pet.

What other drugs will affect Cerenia:

Consult your veterinarian before giving Cerenia to pets also being given NSAIDs, heart, anticonvulsant, and behavioral medications since interactions may occur. Drugs other than those listed in this guide may also interact with Cerenia. Talk to your veterinarian or pharmacist before giving any prescription or over the counter medicines, including vitamins, minerals, and herbal products.

Shelby's weight history (in lbs)

04-05-17	58.00
----------	-------

Professor Pudding (Deb)'s weight history (in lbs)

11-11-16	6.92
09-30-16	5.28
08-31-16	6.45
07-15-16	6.51
05-27-16	7.44

In case of emergency or if your pet needs treatment for any reason after our regular business hours please contact
Silicon Valley Veterinary Specialists: (408) 649-7070

Visit us at www.sanjoseanimalhospital.com

Please "LIKE" us on Facebook and Review us on Yelp!